#### lincat

## SILVERLINK 600



DF66 - Lincat Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 3.0 kW

- Two independently operated fryer tanks for greater versatility, delivering 24kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil

The Silverlink 600 Electric Twin Tank Counter Top Fryer has two independently operated fryer tanks for greater versatility, combined with a power that can deliver 24kg of chips per hour.

- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil
- Supplied with two cables and two plugs for easy installation

#### Specifications

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105100034	Total Power kW Temperature Range °C IP Rating Temperature Control	2 x 3.0 130-190 IP33 Mechanical
Key Specifications		Capacity	
Number of Baskets Number of Tanks Gravity Filtration Pumped Filtration Drain Location	2 2 No Front-mounted	Product Output per Hour Capacity Litres	16kg chips-12mm [frozen], 24kg chips- 12mm[chilled] 2 x 7.5
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	330 600 600 22	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage Number of Supply Cables	No Yes No 2 x 3,000 2 x 13.0 230 2

#### Shipping


Packed Weight Kg	24.2
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	70


## SILVERLINK 600


# Available Accessories BA96 BASKET SPUN DFSMALL CC6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm HC6 Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.4


CINO	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm		
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW		
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW		
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm		

#### **Technical Picture**











### **SILVERLINK 600**

## Lincat fift

#### Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

**Company No:** 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

#### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

#### **Opening Hours**

Monday – Friday: 8.30am – 5pm